

In re: Vervoort et al.  
Serial No.: 09/623,329  
Filed: November 13, 2000  
Page 2 of 5

**Listing of Claims.**

Please amend the claims as shown below. This listing of claims will replace all prior versions and listings of the claims in this application.

15. (Previously presented) A method for determining the presence of EBV-positive nasopharyngeal carcinoma or gastric carcinoma cells in a sample of an individual suspected of or at risk for carrying an EBV associated disease, comprising:

- (a) amplifying one or more targets from the BKRF1 reading frame spanning nucleotides 107950 – 109872 of EBNA-1,
- (b) amplifying one or more target sequence(s) selected from the BARF1 reading frame spanning nucleotides 165504 – 166166,
- (c) detecting the presence or absence of the amplified target sequences of steps (a) and (b), and
- (d) determining the presence of EBV-positive nasopharyngeal carcinoma or gastric carcinoma cells from the presence of the amplified target sequences of steps (a) and (b).

16. (Previously presented) The method according to claim 15 wherein  
-the step of amplifying the BKRF1 reading frame in step (a) is performed using a pair of oligonucleotides, each oligonucleotide comprising a sequence specific for **EBNA-1**, the EBNA-1 specific sequences consisting of 5'-CTCCCTTTACAACCTAAGGC-3' [SEQ.ID.NO.: 2], and 5'-AGAGACAAGGTCCTTAATCGCATCC-3' [SEQ.ID.NO.: 3], wherein the latter oligonucleotide further comprises a T7 polymerase promoter sequence 5'-aattctaatacgaactcactataggg-3' (SEQ ID NO:37);

and

and a pair of oligonucleotides specific for **EBER-1** consisting of 1.1, 5'-CGGGCGGACCAAGCTGTACTTGA-3' [SEQ.ID.NO.: 6] provided with a T7 polymerase promoter sequence 5'-aattctaatacgaactcactataggg-3', and

In re: Vervoort et al.  
Serial No.: 09/623,329  
Filed: November 13, 2000  
Page 3 of 5

- the step of amplifying the BARF1 reading frame in step (b) is performed using a pair of oligonucleotides, each oligonucleotide comprising a sequence specific for **BARF-1**, the **BARF-1** specific sequences consisting of  
5'-GGCTGTCACCGCTTTCTTGG-3' [SEQ.ID.NO.: 23], and  
5'-AGTGTGGCACTTCTGTGG-3' [SEQ.ID.NO.: 24],  
wherein the latter oligonucleotide further comprises a T7  
polymerase promoter sequence 5'-aattctaatacgactcactataggg-3'  
(SEQ ID NO:37).

17. (Previously presented) The method according to claim 15, wherein the RNA is amplified using a transcription based amplification technique.

18. (Previously presented) The method according to claim 17, wherein said amplification technique is NASBA.

Claims 19-26. (Canceled)

27. (Currently amended) The [A] method according to Claim 15, further comprising detecting the presence or absence of the amplified target sequence of (a).

Claims 28-34. (Canceled)